



NOMINAL SHEET COUNT PER TONNE TABLE 4

UNCOATED

WIDTH (mm) □	900			915			1200			1220		
	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
LENGTH (mm) □												
BASE METAL THICKNESS (mm) □												
0.30	262	197	131	254	190	127	197	147	98	190	143	95
0.32	246	184	123	238	178	119	184	138	92	178	134	89
0.35	225	169	112	217	163	109	169	126	84	163	122	82
0.38	207	155	103	200	150	100	155	116	78	150	113	75
0.40	197	147	98	190	143	95	147	111	74	143	107	71
0.42	187	140	94	181	136	91	140	105	70	136	102	68
0.45	175	131	87	169	127	85	131	98	66	127	95	63
0.48	164	123	82	158	119	79	123	92	61	119	89	59
0.50	157	118	79	152	114	76	118	88	59	114	86	57
0.55	143	107	71	138	104	69	107	80	54	104	78	52
0.60	131	98	66	127	95	63	98	74	49	95	71	48
0.70	112	84	56	109	82	54	84	63	42	82	61	41
0.75	105	79	52	101	76	51	79	59	39	76	57	38
0.80	98	74	49	95	71	48	74	55	37	71	53	36
0.90	87	66	44	85	63	42	66	49	33	63	48	32
0.95	83	62	41	80	60	40	62	47	31	60	45	30
1.00	79	59	39	76	57	38	59	44	29	57	43	29
1.10	71	54	36	69	52	35	54	40	27	52	39	26
1.15	68	51	34	66	50	33	51	38	26	50	37	25
1.20	66	49	33	63	48	32	49	37	25	48	36	24
1.40	56	42	28	54	41	27	42	32	21	41	31	20
1.45	54	41	27	52	39	26	41	31	20	39	30	20
1.50	52	39	26	51	38	25	39	29	20	38	29	19
1.55	51	38	25	49	37	25	38	29	19	37	28	18
1.60	49	37	25	48	36	24	37	28	18	36	27	18
1.80	44	33	22	42	32	21	33	25	16	32	24	16
1.90	41	31	21	40	30	20	31	23	16	30	23	15
1.95	40	30	20	39	29	20	30	23	15	29	22	15
2.00	39	29	20	38	29	19	29	22	15	29	21	14
2.40	33	25	16	32	24	16	25	18	12	24	18	12
2.45	32	24	16	31	23	15	24	18	12	23	17	11
2.50	31	24	16	30	23	15	24	18	12	23	17	11
2.90	27	20	14	26	20	13	20	15	10	20	15	10
2.95	27	20	13	26	19	13	20	15	10	19	15	10
3.00	26	20	13	25	19	13	20	15	10	19	14	10
3.20	25	18	12	24	18	12	18	14	9	18	13	9



NOMINAL SHEET COUNT PER TONNE TABLE 5

ZS 30 HOT DIPPED ZINC IRON ALLOY COATING, 30g/M²

WIDTH (mm) □	900			915			1200			1220		
LENGTH (mm) □	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
BASE METAL THICKNESS (mm) □												
0.30	255	191	127	246	185	123	191	143	95	185	139	92
0.32	239	179	120	231	173	116	179	134	90	173	130	87
0.35	219	164	110	212	159	106	164	123	82	159	119	79
0.38	202	152	101	196	147	98	152	114	76	147	110	73
0.40	192	144	96	186	140	93	144	108	72	140	105	70
0.42	183	138	92	177	133	89	138	103	69	133	100	67
0.45	171	129	86	166	124	83	129	96	64	124	93	62
0.48	161	121	80	156	117	78	121	90	60	117	88	58
0.50	155	116	77	149	112	75	116	87	58	112	84	56
0.55	141	106	70	136	102	68	106	79	53	102	77	51
0.60	129	97	65	125	94	62	97	73	48	94	70	47
0.70	111	83	55	107	80	54	83	62	42	80	60	40
0.75	104	78	52	100	75	50	78	58	39	75	56	38
0.80	97	73	49	94	71	47	73	55	36	71	53	35
0.90	87	65	43	84	63	42	65	49	32	63	47	31
0.95	82	62	41	79	60	40	62	46	31	60	45	30
1.00	78	58	39	75	57	38	58	44	29	57	42	28
1.10	71	53	35	69	51	34	53	40	27	51	39	26
1.15	68	51	34	66	49	33	51	38	25	49	37	25
1.20	65	49	33	63	47	31	49	37	24	47	35	24
1.40	56	42	28	54	40	27	42	31	21	40	30	20
1.45	54	40	27	52	39	26	40	30	20	39	29	20
1.50	52	39	26	50	38	25	39	29	20	38	28	19
1.55	50	38	25	49	37	24	38	28	19	37	27	18
1.60	49	37	24	47	35	24	37	27	18	35	27	18
1.80	43	33	22	42	32	21	33	24	16	32	24	16
1.90	41	31	21	40	30	20	31	23	15	30	22	15
1.95	40	30	20	39	29	19	30	23	15	29	22	15
2.00	39	29	20	38	28	19	29	22	15	28	21	14
2.40	33	24	16	32	24	16	24	18	12	24	18	12
2.45	32	24	16	31	23	15	24	18	12	23	17	12
2.50	31	24	16	30	23	15	24	18	12	23	17	11
2.90	27	20	14	26	20	13	20	15	10	20	15	10
2.95	27	20	13	26	19	13	20	15	10	19	14	10
3.00	26	20	13	25	19	13	20	15	10	19	14	9
3.20	25	18	12	24	18	12	18	14	9	18	13	9

CHECK MATERIAL AVAILABILITY



NOMINAL SHEET COUNT PER TONNE TABLE 6

ZF 100 HOT DIPPED ZINC IRON ALLOY COATING, 100g/M²

WIDTH (mm) ®	900			915			1200			1220		
	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
LENGTH (mm) ®												
BASE METAL THICKNESS (mm)												
0.30	248	186	124	240	180	120	186	140	93	180	135	90
0.32	234	175	117	226	170	113	175	131	88	170	127	85
0.35	215	161	107	208	156	104	161	121	80	156	117	78
0.38	198	149	99	192	144	96	149	112	74	144	108	72
0.40	189	142	94	183	137	91	142	106	71	137	103	68
0.42	180	135	90	174	131	87	135	101	68	131	98	65
0.45	169	126	84	163	122	82	126	95	63	122	92	61
0.48	158	119	79	153	115	77	119	89	59	115	86	57
0.50	152	114	76	147	110	74	114	86	57	110	83	55
0.55	139	104	69	134	101	67	104	78	52	101	76	50
0.60	128	96	64	123	93	62	96	72	48	93	69	46
0.70	110	82	55	106	80	53	82	62	41	80	60	40
0.75	103	77	51	99	74	50	77	58	38	74	56	37
0.80	96	72	48	93	70	47	72	54	36	70	52	35
0.90	86	64	43	83	62	42	64	48	32	62	47	31
0.95	81	61	41	79	59	39	61	46	31	59	44	30
1.00	77	58	39	75	56	37	58	44	29	56	42	28
1.10	70	53	35	68	51	34	53	40	26	51	38	26
1.15	67	51	34	65	49	33	51	38	25	49	37	24
1.20	65	48	32	63	47	31	48	36	24	47	35	23
1.40	56	42	28	54	40	27	42	31	21	40	30	20
1.45	54	40	27	52	39	26	40	30	20	39	29	19
1.50	52	39	26	50	38	25	39	29	19	38	28	19
1.55	50	38	25	49	36	24	38	28	19	36	27	18
1.60	49	36	24	47	35	24	36	27	18	35	26	18
1.80	43	32	22	42	31	21	32	24	16	31	24	16
1.90	41	31	21	40	30	20	31	23	15	30	22	15
1.95	40	30	20	39	29	19	30	22	15	29	22	15
2.00	39	29	19	38	28	19	29	22	15	28	21	14
2.40	33	24	16	31	24	16	24	18	12	24	18	12
2.45	32	24	16	31	23	15	24	18	12	23	17	12
2.50	31	23	16	30	23	15	23	18	12	23	17	11
2.90	27	20	13	26	20	13	20	15	10	20	15	10
2.95	27	20	13	26	19	13	20	15	10	19	14	10
3.00	26	20	13	25	19	13	20	15	10	19	14	9
3.20	24	18	12	24	18	12	18	14	9	18	13	9

CHECK MATERIAL AVAILABILITY



NOMINAL SHEET COUNT PER TONNE TABLE 7

Z200 HOT DIPPED ZINC COATING, 200g/M²

WIDTH (mm) ®	900			915			1200			1220		
LENGTH (mm) ®	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
BASE METAL THICKNESS (mm) -												
0.30	240	180	120	232	174	116	180	135	90	174	130	87
0.32	226	169	113	219	164	109	169	127	85	164	123	82
0.35	208	156	104	201	151	101	156	117	78	151	113	75
0.38	193	145	96	186	140	93	145	108	72	140	105	70
0.40	184	138	92	178	133	89	138	103	69	133	100	67
0.42	176	132	88	170	127	85	132	99	66	127	96	64
0.45	164	123	82	159	119	80	123	93	62	119	90	60
0.48	155	116	77	150	112	75	116	87	58	112	84	56
0.50	149	112	74	144	108	72	112	84	56	108	81	54
0.55	136	102	68	132	99	66	102	77	51	99	74	49
0.60	125	94	63	121	91	61	94	70	47	91	68	45
0.70	108	81	54	104	78	52	81	61	41	78	59	39
0.75	101	76	51	98	73	49	76	57	38	73	55	37
0.80	95	71	47	92	69	46	71	53	36	69	52	34
0.90	85	64	42	82	61	41	64	48	32	61	46	31
0.95	80	60	40	78	58	39	60	45	30	58	44	29
1.00	76	57	38	74	56	37	57	43	29	56	42	28
1.10	70	52	35	67	51	34	52	39	26	51	38	25
1.15	67	50	33	65	48	32	50	38	25	48	36	24
1.20	64	48	32	62	46	31	48	36	24	46	35	23
1.40	55	41	28	53	40	27	41	31	21	40	30	20
1.45	53	40	27	51	39	26	40	30	20	39	29	19
1.50	51	39	26	50	37	25	39	29	19	37	28	19
1.55	50	37	25	48	36	24	37	28	19	36	27	18
1.60	48	36	24	47	35	23	36	27	18	35	26	18
1.80	43	32	22	42	31	21	32	24	16	31	23	16
1.90	41	31	20	39	30	20	31	23	15	30	22	15
1.95	40	30	20	38	29	19	30	22	15	29	22	14
2.00	39	29	19	38	28	19	29	22	15	28	21	14
2.40	32	24	16	31	23	16	24	18	12	23	18	12
2.45	32	24	16	31	23	15	24	18	12	23	17	12
2.50	31	23	16	30	23	15	23	17	12	23	17	11
2.90	27	20	13	26	19	13	20	15	10	19	15	10
2.95	26	20	13	26	19	13	20	15	10	19	14	10
3.00	26	19	13	25	19	13	19	15	10	19	14	9
3.20	24	18	12	24	18	12	18	14	9	18	13	9



NOMINAL SHEET COUNT PER TONNE TABLE 8

Z275 HOT DIPPED ZINC COATING, 275g/M²

WIDTH (mm) ®	900			915			1200			1220		
LENGTH (mm) ®	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
BASE METAL THICKNESS (mm) -												
0.30	233	175	117	226	169	113	175	131	88	169	127	85
0.32	220	165	110	213	160	107	165	124	83	160	120	80
0.35	203	152	102	197	147	98	152	114	76	147	111	74
0.38	189	141	94	182	137	91	141	106	71	137	103	68
0.40	180	135	90	174	131	87	135	101	67	131	98	65
0.42	172	129	86	166	125	83	129	97	65	125	94	62
0.45	161	121	81	156	117	78	121	91	61	117	88	59
0.48	152	114	76	147	110	74	114	86	57	110	83	55
0.50	146	110	73	142	106	71	110	82	55	106	80	53
0.55	134	100	67	130	97	65	100	75	50	97	73	49
0.60	123	93	62	119	90	60	93	69	46	90	67	45
0.70	107	80	53	103	77	52	80	60	40	77	58	39
0.75	100	75	50	97	73	48	75	56	37	73	54	36
0.80	94	70	47	91	68	45	70	53	35	68	51	34
0.90	84	63	42	81	61	41	63	47	31	61	46	30
0.95	80	60	40	77	58	39	60	45	30	58	43	29
1.00	76	57	38	73	55	37	57	43	28	55	41	28
1.10	69	52	35	67	50	33	52	39	26	50	38	25
1.15	66	50	33	64	48	32	50	37	25	48	36	24
1.20	64	48	32	62	46	31	48	36	24	46	35	23
1.40	55	41	27	53	40	26	41	31	21	40	30	20
1.45	53	40	26	51	38	26	40	30	20	38	29	19
1.50	51	38	26	49	37	25	38	29	19	37	28	19
1.55	50	37	25	48	36	24	37	28	19	36	27	18
1.60	48	36	24	46	35	23	36	27	18	35	26	17
1.80	43	32	21	41	31	21	32	24	16	31	23	16
1.90	41	30	20	39	29	20	30	23	15	29	22	15
1.95	40	30	20	38	29	19	30	22	15	29	22	14
2.00	39	29	19	37	28	19	29	22	14	28	21	14
2.40	32	24	16	31	23	16	24	18	12	23	18	12
2.45	32	24	16	31	23	15	24	18	12	23	17	11
2.50	31	23	15	30	22	15	23	17	12	22	17	11
2.90	27	20	13	26	19	13	20	15	10	19	15	10
2.95	26	20	13	25	19	13	20	15	10	19	14	10
3.00	26	19	13	25	19	13	19	15	10	19	14	9
3.20	24	18	12	24	18	12	18	14	9	18	13	9



NOMINAL SHEET COUNT PER TONNE TABLE 9

AZ150 HOT DIPPED ALUMINIUM ZINC COATING, 150g/M²

WIDTH (mm) ®	900			915			1200			1220		
LENGTH (mm) ®	1800	2400	3600	1830	2440	3660	1800	2400	3600	1830	2440	3660
BASE METAL THICKNESS (mm) -												
0.30	244	183	122	237	177	118	183	138	92	177	133	89
0.32	230	173	115	223	167	111	173	129	86	167	125	84
0.35	212	159	106	205	154	102	159	119	79	154	115	77
0.38	196	147	98	189	142	95	147	110	73	142	107	71
0.40	186	140	93	180	135	90	140	105	70	135	101	68
0.42	178	134	89	172	129	86	134	100	67	129	97	65
0.45	167	125	83	161	121	81	125	94	63	121	91	60
0.48	157	118	78	152	114	76	118	88	59	114	85	57
0.50	151	113	75	146	109	73	113	85	57	109	82	55
0.55	138	103	69	133	100	67	103	77	52	100	75	50
0.60	126	95	63	122	92	61	95	71	47	92	69	46
0.70	109	82	54	105	79	53	82	61	41	79	59	40
0.75	102	76	51	99	74	49	76	57	38	74	55	37
0.80	96	72	48	93	69	46	72	54	36	69	52	35
0.90	85	64	43	83	62	41	64	48	32	62	46	31
0.95	81	61	40	78	59	39	61	46	30	59	44	29
1.00	77	58	38	74	56	37	58	43	29	56	42	28
1.10	70	53	35	68	51	34	53	39	26	51	38	25
1.15	67	50	34	65	49	32	50	38	25	49	37	24
1.20	64	48	32	62	47	31	48	36	24	47	35	23
1.40	55	41	28	54	40	27	41	31	21	40	30	20
1.45	53	40	27	52	39	26	40	30	20	39	29	19
1.50	52	39	26	50	37	25	39	29	19	37	28	19
1.55	50	38	25	48	36	24	38	28	19	36	27	18
1.60	48	36	24	47	35	23	36	27	18	35	26	18
1.80	43	32	22	42	31	21	32	24	16	31	23	16
1.90	41	31	20	40	30	20	31	23	15	30	22	15
1.95	40	30	20	39	29	19	30	22	15	29	22	14
2.00	39	29	19	38	28	19	29	22	15	28	21	14